




Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Myler MB02 Comfort Snaffle	✓	✓	✓	✓	✓
	Myler MB32 Mullen Barrel: loose ring or eggbutt	✓	✓	✓	✓	✓
	Myler 04 Low Port Comfort: loose ring or eggbutt (May be used with eggbutt, full cheek (snaffle only), hanging cheek (snaffle only), or loose rings)	✓	✓	✓	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Myler 06 Mullen Barrel	✓	✓	✓	✓	✓
	Myler MB 36: Forward Tilted Barrel	✓	✓	✓	✓	✓
 <i>Note: If with hanging cheeks, it is not permitted as a bridoon)</i>	Myler 33 WL: Wide Low Ported Barrel <i>(May be used as an eggbutt or as a hanging cheek snaffle bit.</i>	✓	✓	✓	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Myler 33 Ported Barrel Snaffle (exceeds 30 mm height)	X	X	X	X	X
 low	Myler Weymouth (Curb) Bit: Low Port Note: Center link considered double joint.	N/A	X	N/A	X	N/A
 high	Myler Weymouth (Curb) Bit: High Port Note: Port height exceeds 30 mm	N/A	X	N/A	X	N/A

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Myler Low Port Comfort Snaffle/ Level 2/Eggbutt Plain Snaffle (MB04)	✓	✓	✓		✓
	Myler Low Port Mullen Barrel Dee Ring (MB06, Level 2-3) Note: D-ring bits are not permitted as a bridoon in a double bridle. This mouthpiece is permitted as a bridoon with a loose ring or eggbutt cheek.	✓	X	✓	X	✓
	Myler Loose Ring with Stainless Steel Comfort Snaffle Wide Barrel (MB02) Note: Shaped mouthpiece.	✓	✓	✓	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment	USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, saddlery or equipment permitted for FEI tests	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests	Bits, Saddlery and Equipment
 <p>Note: Western bits not permitted</p>	Myler HBT Low Port Mullen Mouth (MB06 mouthpiece in a western snaffle)	X	X	X	X	X
<p>Herm Sprenger Comfort Snaffle: measurement is taken between the 2 points indicated by the arrows per the current rule.</p>  <p>TONGUE RELIEF: Height exceeds 30mm. Width is in compliance because it exceeds 30mm.</p>	Herm Sprenger Comfort Mullen Mouth Snaffle	X	X	X	X	X
	Herm Sprenger Nathe Double Jointed snaffle	✓	✓	✓	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: bit guards are not permitted at any level</p>	Herm Sprenger Nathe Double Jointed snaffle (and similar bits) with bit guards	X	X	X	X	X
 <p>Note: Tongue relief exceeds 30 mm. (Width is in compliance.)</p>	Herm Sprenger KK Correction Bit	X	X	X	X	X
 <p>Note: Baucher/ hanging cheek not permitted as bridoon</p>	Herm Sprenger KK Ultra B-Ring Baucher	✓	X	Pending Review	X	Pending Review

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Herm Sprenger KK Ultra Eggbutt Snaffle	✓	✓	✓	✓	✓
	Herm Sprenger Duo Loose Ring Snaffle Note: This bit has a flexible mouthpiece and is now permitted for use as a snaffle in FEI Levels. Because it is unjointed, it is not permitted as a bridoon.	✓	✗	✓	✗	✓
	Herm Sprenger Dynamic RS WH Ultra D-Ring Snaffle Note: D-ring bits are not permitted as a bridoon in a double bridle	✓	✗	✓	✗	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Herm Sprenger Flex Control Loose Ring (covered joint – not mullen mouth)	✓	✗	✓	✗	✓
	Herm Sprenger WH Ultra Loose Ring (aka the Lisa Wilcox Bit)	✓	✓	✓	✓	✓
	Herm Sprenger WH Ultra Soft Loose Ring Snaffle Bit (aka the Lisa Wilcox Bit)	✓	✓	✓	✓	✓
Note: The rubber portion covers the center link. It does not roll.						

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Herm Sprenger KK Ultra Bradoon	✓	✓	✓	✓	✓
	Herm Sprenger Dynamic RS Jointed Bradoon	✓	✓	✓	✓	✓
 Note: made of Sensogan	Herm Sprenger Novocontact 16 Eggbutt Style Bit (Double Jointed)	✓	✓	✓	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).



Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: made of Sensogan</p>	The Herm Sprenger Novocontact 16mm Loose Ring Snaffle Bit	✓	✓	✓	✓	✓
 <p>Note: Mullen mouth/unjointed bits not permitted as a bridoon</p>	Bomber Equestrian Flexible Mullen Mouth Bit	✓	X	✓	X	✓
	Bomber Equestrian Loose Ring Elliptical Dressage Control	✓	✓	✓	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: This bit has angular edges in center link.</p>	Bomber Equestrian Loose Ring Ultra Comfy Lock Up	X	X	X	X	✓
 <p>Note: This bit has angular edges in center link.</p>	Bomber Equestrian Loose Ring Elliptical Lock Up	X	X	X	X	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: unjointed bits not permitted as bridoon</p>	Bomber Equestrian Loose ring Bomber Blue	✓	✗	✓	✗	✓
 <p>Note: control plate not permitted</p>	Bomber Equestrian Loose Ring Dressage Control Plate	✗	✗	✗	✗	✗
 <p>Note: Exposed cable not permitted</p>	Bomber Equestrian Loose Ring Elliptical Cable	✗	✗	✗	✗	✗

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 Note: Exposed cable not permitted	Bomber Equestrian Loose Ring Snaffle Cable	X	X	X	X	X
 Note: This bit has angular edges in center link.	Bomber Equestrian Loose Ring Lock Up	X	X	X	X	✓
 Note: Unjointed bits not permitted as bridoon	Bomber Equestrian Loose Ring Narrow Tongue variation of the Happy Mouth Tongue	✓	X	✓	X	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Weymouth Bomber Blue (Rotating cheeks as pictured not permitted; Fixed cheeks permitted)	N/A	X	N/A	X	N/A
	Bomber Weymouth Narrow Tongue Forward Port	N/A	✓	N/A	✓	N/A
	Bomber Petros and Polito	N/A	Pending Review	N/A	Pending Review	N/A

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).





Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Bomber Weymouth Swivel Happy Tongue Straight	N/A	X	N/A	X	N/A
	Bomber Weymouth Swivel 55 PF Port	N/A	X	N/A	X	N/A
	Weymouth Swivel Bomber Blue	N/A	X	N/A	X	N/A

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).





Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 Note: Mullen mouth/unjointed bits not permitted as a bridoon	Bomber Blue Mullen	✓	✗	✓	✗	✓
	Bomber Ergo Elliptical MP	✓	✓	✓	✓	✓
	Bomber Ergo Snaffle MP	✓	✓	✓	✓	✓
	Bomber Loose Ring Ported Barrel	✓	✓	✓	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).



Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Bomber McHardy MP DE	X	X	X	X	X
Note: Exceeds 30 mm height						
	Bomber McHardy Loose Ring	✓	✓	✓	✓	Pending Review
	Bomber Loose Ring Titanium McHardy Elliptical	✓	✓	✓	✓	Pending Review
	Bomber Eggbutt Ported Pivot	X	X	X	X	Pending Review

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).



Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Bomber Relaxed Performance</p> <p>Note: Upper cheeks rotate independent of lower cheeks.</p>	N/A	X	N/A	X	N/A	
 <p>Bomber DC Dressage Fixed 2 Titanium metal</p> <p>Note: Unjointed and hanging cheek bits not permitted as a bridoon</p>	X	X	X	X	X	

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment	USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: Unjointed and hanging cheek bits not permitted as a bridoon</p>	X	X	X	X	X
 <p>Note: Unjointed and hanging cheek bits not permitted as a bridoon</p>	X	X	X	X	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: Unjointed and hanging cheek bits not permitted as a bridoon</p>	Bomber DC Dressage Fixed (no longer FEI approved)	X	X	X	X	X
 <p>Note: Exceeds 30 mm height.</p>	Bomber Ported Barrel MP (DEsml)	X	X	X	X	X
	Bomber Eggbutt Happy Tongue	✓	X	✓	X	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment	USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Snaffle with flat center link on one side ✓	✓	✓	✓	✓
	Robart Adjustable mouthpiece (Abrupt thin center joint with adjustable size mouthpiece) X	X	X	X	X
	Single or double jointed snaffle with ball joint as center link ✓	✓	✓	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	I-Bride Snaffle (flexible rubber/synthetic mouthpiece)	✓	✗	✓	✗	✓
	I-Bride Longue-Soft-Flex Curb (flexible rubber/synthetic mouthpiece)	N/A	✓	N/A	✓	N/A
 Note: Not permitted as bridoon since mouthpiece edges could interfere with curb cheeks.	Horse & More 2 Type Double-Jointed Loose Ring Snaffle	✓	✗	✓	✗	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).

Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.




Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Happy Mouth HB 6801 Bridoon	✓	✓	✓	✓	✓
	Happy Mouth HB-6000 SP Weymouth	N/A	✓	N/A	✓	N/A
	Happy Mouth (or other brand) Shaped (Wavy) Mullen Loose Ring Snaffle	X	X	X	X	✓

Note: It is not considered to be a true mullen mouth. The same mouthpiece is in a curb and it is also not permitted.

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: This bit has a flexible mouthpiece and is now permitted as a snaffle at FEI levels.</p>	Happy Mouth Plain Mullen Loose Ring	✓	✗	✓	✗	✓
	Neue Schule Verbindend Loose Ring	✓	✓	✓	✓	✓
	Neue Schule Tranz Angled Loose Ring	✓	✓	✓	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).

Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.




Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Neue Schule – Turtle Tilt C	N/A	X	N/A	X	N/A
	Neue Schule Ultimate Tongue Relief Revolver Weymouth	N/A	X	N/A	X	N/A
	Neue Schule Turtle Tactio Snaffle	✓	✓	✓	✓	✓

Note: The surface of the mouthpiece on the tongue is not completely rounded.

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).





Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: The surface of the mouthpiece on the tongue is not completely rounded.</p>	Neue Schule Turtle top snaffle	✓	✓	✓	✓	✓
	Neue Schule Turtle Top Baucher (Upper cheek exceeds 7 cm)	✗	✗	✗	✗	✓
 <p>Note: Locking mouthpieces and D-rings are not permitted as a bridoon.</p>	Stubben Easy Control Anatomic D-Ring Bit double broken	✓	✗	✓	✗	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment	USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles, saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Winderin Snaffle</p> <p>Note: Unjointed and hanging cheek bits not permitted as bridoons.</p>	✓	✗	✓	✗	Pending Review
 <p>Winderen Super Flexi Snaffle</p>	✓	✗	✓	✗	Pending Review
 <p>Winderen Single Jointed Mouthpiece</p>	✗	✗	✗	✗	Pending Review
 <p>Winderen Double Broken Mullen Mouthpiece</p>	✓	✗	✓	✗	Pending Review

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles, saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Winderen Medium Curb – Ported Mullen Mouth Note: Shank must not exceed 10 cm.	N/A	✓	N/A	✓	N/A
	Dewsbury Revolver Curb Bit 14mm	N/A	X	N/A	X	N/A
 Note: The edges of the center link are not considered to be rounded. The flat link in the center of the mouthpiece lies at an angle to the bit.	Dr. Bristol Snaffle	X	X	X	X	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: Lever arm length must be 10cm or less below the mouthpiece</p>	Coronet Curb Low Port Fixed Weymouth Bit	N/A	✓	N/A	✓	N/A
 <p>Note: Similar bits would also be subject to measurement for tongue relief pursuant to DR121, Figure A & B description. Only bits that do not exceed 30mm would be permitted.</p>	Kelly Silver Star – 3 Piece Half Moon Eggbutt Snaffle	✓	Pending Review	✓	Pending Review	Pending Review
	Lorenzini Titanium Loose Ring Bit with Lozenge	✓	✓	✓	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: Cheeks on this bit not permitted.</p>	Lorenzini Titanium Show Jumping Bit with Lozenge	X	X	X	X	X
	JP Korsteel French Mouth Loose Ring Snaffle	X	X	X	✓	✓
	JP Korsteel Full Cheek Copper	✓	N/A	✓	N/A	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: Shape of cheeks and thin mouthpiece.</p>	Perfect d-ring dog bone bit double joint	X	X	X	X	X
 <p>Note: Shape of cheeks and thin, jointed mouthpiece.</p>	Perfect bit, curb single joint	N/A	X	N/A	X	N/A
	Trust Equestrian Sweet Iron Dee French Link	X	X	X	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Trust Equestrian Sweet Iron Weymouth medium port	N/A	✓	N/A	✓	N/A
Note: Max height of port must be 30 mm or less and deviation must have min width of 30 mm.						
	Trust Equestrian Inno Sense Baby Dressage Weymouth (can have soft/flexible, medium or hard mouthpiece)	N/A	✓	N/A	✓	N/A
	Curb bit with swivel/sliding arms	N/A	✓	N/A	✓	N/A

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).





Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Fager Anton Loose Ring Baucher (no longer permitted by FEI) Note: Hanging cheek not permitted as bridoon	X	X	X	X	X
	Fager Madeleine Single Jointed Loose Ring (Center joint partly locks)	✓	X	✓	✓	✓
	Fager Jacob Fixed Rings	✓	✓	✓	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 Note: Hanging cheek not permitted as bridoon.	Fager Frederic Loose Ring Baucher (no longer permitted by FEI)	X	X	X	X	X
 Note: Flat center link at angle to mouthpiece.	Fager Carl Baby Fulmer (Flat center link)	X	X	X	X	X
 Note: Flat center link at angle to mouthpiece.	Fager Carl Loose Ring (Flat center link)	X	X	X	X	X
	Fager Maria Loose Ring	✓	✓	✓	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).





Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: Full cheek not permitted as bridoon</p>	Fager Sally Baby Fulmer	✓	✗	✓	✗	✓
	Fager Sally Loose Ring	✓	✓	✓	✓	✓
 <p>Note: This bit has an angular edge in center link</p>	Fager Anna (Locking mechanism)	✗	✗	✗	✗	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: Hanging cheek and unjointed bits not permitted as bridoon</p>	Fager Sara Titanium Baucher (no longer permitted by FEI)	X	X	X	X	X
 <p>Note: This bit has an angular edge in center link.</p>	Fager Fanny Titanium Loose Ring (Locking Mechanism)	X	X	X	✓	✓
	Fager Julia Loose Ring	✓	✓	✓	✓	✓
 <p>Note: This bit has an angular edge in center link.</p>	Fager Lilly Loose Ring (Locking Mechanism)	X	X	X	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Fager Alexander Sweet Iron Fixed Ring Note: Center link is flat like Dr. Bristol	X	X	X	X	X
	Fager John Sweet Iron Fixed Rings (Locking Mechanism) Note: Locking mouthpieces not permitted as a bridoon	✓	X	X	X	Pending Review
	Fager Marcus Sweet Iron Fixed Ring	✓	✓	✓	✓	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: Locking mouthpieces not permitted as a bridoon</p>	Fager Martin (Locking Mechanism)	✓	✗	✓	✗	✓
 <p>Note: Locking mouthpieces not permitted as a bridoon</p>	Fager Nina/Nils Egg Butt (Locking Mechanism)	✓	✗	✓	✗	✓
 <p>Note: Locking mouthpieces not permitted as a bridoon</p>	Fager Oscar Loose Ring (Locking Mechanism)	✓	✗	✓	✗	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Fager Gustav	✓	✓	✓	✓	✓
	Snaffle with indentation in center link	✓	✓	✓	✓	✓
	ACavallo Rope bit	X	X	X	X	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Loose Ring snaffle with leather mouthpiece	X	X	X	X	X
	Full Cheek with extra rings	X	X	X	X	X
 Note: Control plate is not permitted.	WTP NP Bit	X	X	X	X	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).



Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Half Cheek Driving Snaffle	Pending	X	X	X	✓
	Half Cheek with upper cheeks only	✓	X	✓	X	✓
	Mikmar D-Ring French Link Roller Snaffle	✓	X	✓	X	✓
<p>Note: There is only one (smooth) rolling part in this bit. However, D-ring not permitted as a bridoon.</p>						

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Note: Although the mouthpiece is permitted and in concept, the combination of egg-butt and loose ring is permitted, the enlarged "wing" obscures the view of the corners of the lips and the "wing" can get caught inside the lips.</p>	Stubben Golden Wings Snaffle	X	X	X		
	Stubben Anatomic Loose Ring Snaffle (tongue relief does not exceed 30 mm)	✓	✓	✓		

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).

Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.




Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles, saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Dyan Bridle Note: Crownpiece extends back beyond skull	X	N/A	X	N/A	X
	Antares Bridle Note: Crownpiece extends behind poll	X	N/A	X	N/A	X
	Tota Dropped Noseband Must be used with throatlatch as of 9/1/24	✓	N/A	✓	N/A	✓ Must be used with throatlatch as of 4/1/24

Note: Permitted only with snaffle bridle.

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Tota Comfort System noseband Must be used with throatlatch as of 9/1/24	✓	✓	✓	✓	✓ Must be used with throatlatch as of 4/1/24
 Note:-May be used with or without a throatlatch.	PS of Sweden – Pioneer Bridle Must be used with throatlatch as of 9/1/24	✓	N/A	✓	N/A	✓ Must be used with throatlatch as of 4/1/24
 Note:-May be used with or without a throatlatch.	PS of Sweden – Nirak Bridle	✓	N/A	✓	N/A	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Stübben Snaffle Bridle 2500 Freedom Note: Shape of crownpiece and pressure on poll.	X	N/A	X	N/A	✓
	Passier Fortuna double bridle Note: Elastic insert in neckband, under browband	✓	N/A	✓	N/A	✓
	PS of Sweden Jump Off bridle Must be used with throatlatch as of 9/1/24 Note: Permitted without snap, and with or without throatlatch	✓	N/A	✓	N/A	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	<p>PS of Sweden High Jump bridle</p> <p>Note: Curved piece on each side of noseband contains metal; similar action to crescent noseband.</p>	X	N/A	X	N/A	✓
  <p>Osiris Bridle and double Bridle by vt-horses</p>	<p>Osiris bridle by vt-horses</p> <p>Note: This bridle creates pressure under throat and jowl.</p>	X	N/A	X	N/A	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Figure Eight (crossed) noseband by Riding Tack Manufacture	✓	N/A	✗	N/A	✓
	Cornell Collar Note: Creates pressure under throat and jowl.	✗	N/A	✗	N/A	✗ Pending Review
	Shadow Horse (Bridle with D Rings at Poll) Note: Placement of metal rings creates pressure in sensitive areas	✗	N/A	✗	N/A	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Freeflex Bridle Note: Placement of metal rings at crownpiece can create pressure in sensitive areas	X	N/A	X	N/A	✓
	Fenwick Equestrian Fly Bonnet (cannot restrict the ears and cannot be attached to Noseband. A therapeutic ear bonnet is not permitted.) Note: Fly hoods (Fenwick, Back on Track, etc.) are permitted.	✓	N/A	✓	N/A	✓
	Schockemöhle, Sports Double Equitus Gamma	✓	N/A	✓	N/A	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. **The upper cheek of a curb bit must not exceed seven centimeters.**

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Collegiate ComFiTec Training Bridle	✓	N/A	✓	N/A	✓
	Schockemoehle Equitus Alpha	✓	N/A	✓	N/A	✓
	Schockemoehle -Sports-Trense-Equitus-Zeta (permitted without fleece)	X	N/A	X	N/A	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles, saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Sheepskin padding on noseband	✓	N/A	✓	N/A	✓
	Ready to Ride Bridle	X	N/A	X	N/A	X
	Anatomical Special Bridle – Faysport (Not permitted due to placement of clips)	X	N/A	X	N/A	Pending Review

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).



Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles, saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Jefferies Gentle Bridle	✓	N/A	✓	N/A	✓
	Pres Teq – FaySport Bridle Note: Metal snaps and connections on bridle not permitted	X	N/A	X	N/A	Pending Review
	Elite Equestrian Artemis Victory (also Precision model) with pressure relieving crownpiece	✓	N/A	✓	N/A	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Felix Buhler Anatomical Bridle	✓	N/A	✓	N/A	✓
	Antares Precision Y Noseband bridle	X	N/A	X	N/A	Pending Review

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles, saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Presteq Weymouth Bridle - Fayperform	X	N/A	X	N/A	Pending Review
	Passier Fantastic Snaffle Bridle	X	N/A	X	N/A	Pending Review
	Comfort Connect Reins	✓	N/A	✓	N/A	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles, saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Correct Connect Aaron Vale Rein with Slim or Padded Hand Stops	X	N/A	X	N/A	X
	Martingale or Rein Stop – used in a conventional location (Running Martingale permitted only in national warmup, except for HP classes)	✓	N/A	✓	N/A	X
	Martingale donut cannot be used as Rein or Hand Stop (Running Martingale permitted only in national warmup, except for HP classes)	✓	N/A	✓	N/A	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles, saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Wide padding on Crownpiece (impairs the ears to move freely and extends far past the actual crownpiece)	X	N/A	X	N/A	X
	Poll Cover	✓	N/A	✓	N/A	✓
	Keepers for full, half cheek, and fulmer snaffles	✓	N/A	X	N/A	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Elite Equestrian Artemis Advance (also Athena, Destiny, Infinity & Elegance models) with pressure relieving crownpiece	✓	N/A	✓	N/A	✓
	Elite Equestrian Precision Crownpiece	✗	N/A	✗	N/A	✓
Note: Shape may cause pressure in sensitive areas.						
	Elite Equestrian Anatomic Crownpiece	✗	N/A	✗	N/A	✓
Note: Shape may cause pressure in sensitive areas.						

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles, saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Passier Crownpiece – Fantastic Bridle	X	N/A	X	Pending Review	Pending Review
	Dyon Double Noseband	X	N/A	X	N/A	X
	ACavallo Maesta Bridle (cavesson pictured)	X	N/A	X	N/A	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Blinkers	X	N/A	X	N/A	X
	Compression Mask	X	N/A	X	N/A	X
	Eye Shield	X	N/A	X	N/A	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	On Tyte Stirrup (Magnetic Stirrups/Boots)	X	N/A	X	N/A	X
	K'Vall Stirrup (Enclosed Stirrup)	X	N/A	X	N/A	X
	Safety Stirrups Note: Stirrups must have closed branches	X	N/A	X	N/A	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment	USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Free Jump Safety Stirrups</p> <p>Note: Stirrups must have closed branches</p>	X	N/A	X	N/A	✓
 <p>Tech Safety Stirrups</p> <p>Note: Stirrups must have closed branches. This stirrup must be closed when in use.</p>	✓	N/A	✓	N/A	✓
 <p>STS "Space Technology Safety" irons English design.</p>	X	N/A	X	N/A	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Curb chain carabiner	N/A	✓	N/A	✓	N/A
	Bal-Aid Equine Balancing Aid Note: Has the effect of rollers and could alter movement.	X	N/A	X	N/A	X
	Cooling Cap Note: Cooling caps are not permitted by USEF or FEI rules.	X	N/A	X	N/A	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
 <p>Stubben Equisense girth and similar data trackers</p> <p>Data tracking devices allowed as long as they cannot communicate with the rider during the competition.</p>		✓	N/A	✓	N/A	✓
 <p>Electronic Tracking Device</p> <p>Data tracking devices allowed as long as they cannot communicate with the rider during the competition.</p>		✓	N/A	✓	N/A	✓
 <p>Equestic Saddle Clip</p>		✓	N/A	✓	N/A	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed **seven** centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).




Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles , saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Grip Gloves (that fix gloves to reins)	X	N/A	X	N/A	X
	Safety Strap	✓	N/A	✓	N/A	✓
	Nose net covering the mouth completely	X	N/A	X	N/A	X

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).



Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles, saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Padding on Lower Chin Strap (Added pads must not hide view of mouth)	✓	N/A	✓	N/A	✓
	Nylon Curb Strap	✗	N/A	✗	N/A	✗
	Scotch Boots (Strap above boot is not allowed.)	✗	N/A	✗	N/A	✗

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.

Effective immediately - Updated March 11, 2024. Correction dated 7.20.24; (Highlighted items changed by FEI and/or USEF from 2023).

Annex A is a supplement to the USEF Dressage Rules. All bits/equipment labeled as 'Pending Review' are not permitted in USEF/USDF competition until determined otherwise in this Annex. Please refer to FEI Dressage Rules and FEI Tack App directly for permitted saddlery/equipment in FEI CDIs events. Additional clarifications and rulings from the USEF Dressage Sport Department are noted and dated.

Bits, Saddlery and Equipment		USEF Dressage Snaffles, saddlery or equipment permitted at Fourth Level and below	USEF Dressage Bridoon and curb bits permitted with a double bridle	USEF Dressage Snaffle bits, bridles, saddlery or equipment permitted for FEI tests	FEI Dressage (CDIs) Bridoon and curb bits permitted with a double bridle	FEI Dressage (CDIs) Snaffle bits, saddlery or equipment permitted for FEI tests
	Bit Change (Nothing can connect noseband to bit.)	X	N/A	X	N/A	X
	Adjustable Drop Noseband	✓	N/A	✓	N/A	✓

NOTES: (1) All snaffle mouthpieces are approved w/loose ring, D-ring, eggbutt or hanging cheek rings. (2) The diameter of the snaffle or bridoon mouthpiece must be min. 10 mm diameter at rings or cheeks of the mouthpiece. The diameter of the curb mouthpiece must be min. 12 mm. Exception: for ponies, diameter may be less than 10 mm. For CDIs, snaffles must have a min. diameter of 12 mm for horses and 10 mm for ponies. The diameter of a bit is measured at the rings or cheeks of the mouthpiece. (3) For bridoons, snaffles & curb bits used in USEF and FEI competitions, the max. height of the deviation is 30 mm from the lower part of tongue side to the highest part of the deviation. The widest part of the deviation must be where the mouthpiece contacts the tongue & must have a min. width of 30 mm. (4) D-ring or hanging cheek bits are not permitted as a bridoon in a double bridle at any level. The upper cheek of a curb bit must not exceed seven centimeters.